Multifunctional Chlorine Tablets 20g /200g

1.1 Product Ident	t ifier trichloroiso	cyanuric acid / symclos	sene	
1.2 Relevant Ider	ntified uses and restriction	is of the substance or i	nixture	
Uses:	For disinfed	ction of pool and spa w	ater.	
1.3 Details of the	supplier of the safety dat	a sheet		
Company:		ool Controls Ltd		
	Unit 2, The			
	Stoke Orch			
	Bishops Cle			
	Gloucesters			
		shire		
	GL52 7RS			
Telephone:	+44 (0) 8712 229081	Fax:	+44 (0) 8712 229083	
E-mail:	sales@cpc-chemicals.co	<u>o.uk</u>		
1.4 Emergency Te	elephone			
Tel:	+44 (0) 8712 229081	(office hours)	+44 (0) 1242 300271	(outside of office hours)

2. Hazard Identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 **Hazard Class Hazard Statements** Ox. Sol. 3 H272 Acute Tox. 4 * H302 Eye Irrit. 2 H319 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic1 H410 Most important adverse effects Human Health: See section 11 for toxicological information Physical & Chemical Hazards: See section 9 for physicochemical information Potential environmental effects: See section 12 for environmental information 2.2 Label elements The product is classified and labelled according to the CLP regulation Hazard symbols: GHS03 GHS09 GHS07 Signal word: Warning Hazard-determining components of labelling: trichloroisocyanuric acid Hazard statements H272 May intensify fire; oxidiser H302 Harmful if swallowed. H319 Causes serious eye irritation H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects

Precautionary statements: P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children
P201	Obtain special instructions before use
P221	Take any precaution to avoid mixing with combustibles

Trade Name:

2. Hazard Identification		
P305+351+338	IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue	rinsing
P301+P312	IF SWALL	OWED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P 308 + P313	IF exposed or concerned: Get medical advice / attention.	
P402	Store in a dry place.	
P405	Store lock	ked up.
P501	Dispose o	f contents/container in accordance with local/regional/national/international regulations.
Additional infor	mation:	EUH031 Contact with acids liberates toxic gas.
		Warning! Do not use together with other products. May release dangerous gases (chlorine).
2.2 Other Herende		

2.3 Other Hazards

PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3. Composition/information on ingredients

CAS-No.	EINECS	Index-No.	%	
trichloroisocy	anuric acid			
87-90-1	201-782-8	613-031-00-5 75 -	100%	 Ox. Sol. 2, H272; Aquatic Acute 1, H400; Aquatic Chronic 2 H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335
Boric Acid				· · · · · · · · · · · ·
10043-35-3	233-139-2	005-007-00-2 0.5-	· 1%	🚸 Repr. 1B, H360FD
copper(II) sulf	ate, pentahya	lrate		
7758-99-8	231-847-6		- 1%	 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic H410; Acute Tox. 4, H302
Aluminium su	fate octadeca	nhydrate		
7784-31-8	233-135-0	0.5	- 1%	
SVHC				•
10043-35-3 bo	oric acid			

4. First Aid measures

General Advice:	easures Symptoms of poisoning may even occur after several hours; therefore medical observation fo least 48 hours after the accident
After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	Seek medical treatment.
After eye contact:	Call a doctor immediately. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:	Rinse out mouth and then drink plenty of water. Call for a doctor immediately.
2 Most important sympton	ns and effects, both acute and delayed
Symptoms and effects:	No relevant information available.

5. Fire fighting measures 5.1 Extinguishing media:

Suitable extinguishing media:	Water, water spray, carbon dioxide.
Unsuitable extinguishing media:	Extinguishing powder, foam, water with full jet.

5.2 Special hazards arising from the substance or mixture

Specific Hazards during fire fighting:	Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Nitrogen oxides (NOx); Hydrogen chloride (HCl)
5.3 Advice for fire-fighters	
Special protective equipment	Wear self-contained respiratory protective device.
	Wear fully protective suit.
	Mouth respiratory protective device.
Additional information	Cool endangered receptacles with water spray.
	Collect contaminated fire fighting water separately. It must not enter the sewage
	system.

5.1 Personal precautions, pr	otective equipment and emergency procedures
Personal Precautions:	Avoid formation of dust.
	Ensure adequate ventilation
	Mount respiratory protective device.
6.2 Environmental precaution	ons
Environmental precautio	ns: Keep contaminated washing water and dispose of appropriately.
	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and materials f	or containment and cleaning up
Cleaning up:	Dispose contaminated material as waste according to item 13.
	Ensure adequate ventilation.
6.4 Reference to other section	ons
Other Sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment
	See Section 13 for disposal information.

7. Handling and storage

Advice on safe handling:	Store in cool, dry place in tightly closed receptacles. Provide suction extractors if dust is formed. Restrict the quantity stored at the work place. Do not refill residue into storage receptacles.
7.2 Conditions for safe storag	e, including any incompatibilities.
Requirements for storage areas	s: Store only in the original receptacle.
Common storage facility	y: Do not store together with acids.
Further information on storage	e: Protect from humidity and water.
	Keep container tightly sealed.
	Store in cool, dry conditions in well sealed receptacles.
Storage class	s: 5.1B
7.3 Specific end uses	
Specific use(s)	No relevant information available.

_	
8.1 Control parameters	
-	values that require monitoring at the workplace:
	contain any relevant quantities of materials with critical values that have to be monitored at
the workplace.	
Additional information	n: The lists valid during the making were used as basis
8.2 Exposure controls	
Personal protective e	quipment
General protective an	d hygienic measures:
Keep away from foods	stuffs, beverages and feed.
Immediately remove a	all soiled and contaminated clothing
Wash hands before br	eaks and at the end of work.
Avoid contact with the	eyes.
Avoid contact with the	eyes and skin.
Respiratory protectio	n: Use suitable respiratory protective device when high concentrations are present.
•	re or low pollution use respiratory filter device. In case of intensive or longer exposure use
selfcontained respirat	ory protective device.
Protection of hands:	Wear suitable chemical resistant gloves
The glove material has	s to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests n	o recommendation to the glove material can be given for the product.
Selection of the glove <i>Material of gloves</i>	material on consideration of the penetration times, rates of diffusion and the degradation
The selection of the su	uitable gloves does not only depend on the material, but also on further marks of quality and
varies from manufactu	urer to manufacturer. As the product is a preparation of several substances, the resistance
of the glove material o	can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of g	love material
-	h time has to be found out by the manufacturer of the protective gloves and has to be observed
-	ntact gloves made of the following materials are suitable:
Nitrile rubber, NBR	
Chloroprene rubber, C	ĴR
Butyl rubber, BR	
Eye protection:	Tightly sealed goggles
	Protective work clothing, Boots, Apron

9. Physical and chemical properties

A	
Appearance:	
Form	Tablets
Colour:	Blue
Odour:	Like chlorine
Odour threshold:	Not determined.
pH-value (10 g/l) at 20 °C: "	2.0-2.7
Change in condition:	
Melting point/Melting range:	225-240 °C
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid	gaseous): "
Decomposition temperature:	225 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information
Explosion limits:

Explosion limits:	Lower:	Not determined.
	Upper:	Not determined.
Vapour pressure:		Not applicable.
Density at 20 °C:		ca. 2.5 g/cm ³
Relative density		Not determined.
Vapour density		Not applicable.
Evaporation rate		Not applicable.
Solubility in / Miscibility	y with water at 25 °C:	12 g/l
Partition coefficient (n-	octanol/water):	Not determined.
Dynamic viscosity:		Not applicable.
Kinematic viscosity:		Not applicable.
Solvent content:	0.00%	
Solids content:		100.00%
Other Information		

9.2 Other Information

Other information

No further relevant information available.

10. Stability and reactivity

10.1	Reactivity Reactivity	No further relevant information available.			
10.2	Chemical stability				
	Chemical stability	No further relevant information available.			
10.3	10.3 Possibility of hazardous reactions				
	Hazardous reactions	Reacts with oxidising agents.			
		Reacts with strong alkali.			
		Reacts with amines.			
		Strong exothermic reaction with acids.			
		Reacts with flammable substances.			
		Reacts with acids releasing chlorine.			
		Reacts with reducing agents.			
10.4	Conditions to avoid Conditions to avoid	No further relevant information available.			
10.5	Incompatible materials Materials to avoid	No further relevant information available.			
10.6	Hazardous decomposition	products			
	Haz. Decomp. products:	Hydrogen chloride (HCl), Chlorine, Nitrogen oxides (NOx)			

11. Toxilogical Information

11.1 Information on toxilogical effects

Toxicity Values

trichloroisocyanuric acid 87-90-1				
Route	Species	Test	Value	Units
Oral	Rat	LD50	406	mg/kg
boric acid				10043-35-3
Oral	Rat	LD50	2660	mg/kg

11. Toxilogical Information

11.1 Information on toxilogical effects

Primary Irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Causes serious eye irritation. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.
 Reproductive toxicity : Based on available data, the classification criteria are not met.
 STOT-single exposure: May cause respiratory irritation.
 STOT-repeated exposure: Based on available data, the classification criteria are not met.
 Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological Information

12.1 Toxicity

Acute Toxicity				
trichloroisocyanuric acid 87-90-1				
Species	Test	Value	Units	
Daphnia	EC50	0.2	mg / I	(Modified method based on the ASTM method E645-85)
(Selenastrum capricornutun	EC50	0.5	mg / I	
(Danio rerio (Zebrabärbling)	LC50	0.3	mg / I	
boric acid			10043-35-3	
(Chlorella pyrenoidosa)	NOEC	10	mg / I	
Daphnia	LC50	133	mg / I	(ASTM Standard E 729-80)

12.2 Persistence and degradability

Persistence and degradability No further relevant information available.

12.3 Bioaccumlative potential

Bioaccumlative potential No further relevant information available.

12.4 Mobility in soil

Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Very toxic for fish

Behaviour in sewage processing plants 10043-35-3 boric acid NOEC 180 mg/l (Activated sludge) (OECD "Chironomid testing using spiked sediment")

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

12.5 Results of PBT and PvB assessment

Results of PBT and PvB Not applicable

12.6 Other adverse effects

Other adverse effects No further relevant information available.

13. Disposal Considerations

13.1 Waste treatment methods

Must be specially treated adhering to official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

14.1 UN Number	UN1479	
14.2 UN proper shipping name ADR: IMDG: IATA:	1479 TRICH TRICHLORO	LOROISOCYANURIC ACID DRY, ENVIRONMENTALLY HAZARDOUS ISOCYANURIC ACID, MARINE POLLUTANT ISOCYANURIC ACID
14.3 Transport hazard class(es ADR / IMDG		
Class: Label:	5.1 5.1	Oxidising substances.
	>	
Class: Label:	5.1 5.1	Oxidising substances.
14.4 Packaging Group ADR / IMDG / IATA	Ш	
14.5 Environmental hazards Marine pollutant: Yes Special marking (ADR):	Yes Symbol (fish Symbol (fish	
14.6 Special precautions for us		
Special precautions for as Special precautions: Danger code (Kemler): EMS Number: Stowage Category Segregation Code	Warning: O: 50 F-A,S-Q B SG38 Stow ' SG49 Stow ' SG60 Stow '	xidising substances. "separated from" ammonium compounds. "separated from" cyanides "separated from" peroxides "separated from" powdered metals
14.7 Transport in bulk accordin		of MARPOL 73/78 and the IBC Code Not applicable
Transport/Additional info	-	
Excepted quantities (EQ): Limited quantities (LQ) Excepted quantities (EQ) (Code:	E1 5 kg E1

14. Transport Information

Excepted quantities (EQ):	E1
Limited quantities (LQ)	5 kg
Excepted quantities (EQ) Code:	E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ) Code:	E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture. Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

P8 OXIDISING LIQUIDS AND SOLIDS

E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Articles 57 10043-35-3 boric acid

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16. Other information

Full text of H-statements referred to under sections 2 and 3			
H272	May intensify fire; oxidiser.		
H302	Harmful if swallowed.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H360FD	May damage fertility. May damage the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		

16. Other information

Further information

Restricted to professional users. Attention - Avoid exposure- obtain special instructions before use

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Indicates updated section