



SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY		
IDENTIFICATION OF THE SUBSTANCE		
CHEMICAL NAME:	COMPOUND OF POTASSIUM HYDROGEN PEROXYMONOSULFATE SULFATE	
UN №	3260	
USES OF THE SUBSTANCE	Disinfection of water.	
COMPANY IDENTIFICATION	Envasados del Pirineo S.L. C/Binueste s/n 22600 Sabiñánigo –Huesca- España Tfno: +34 974 483 019 - Fax: +34 974 483 019 Email: info@envasadospirineo.com	
EMERGENCY TELEPHONE	Tel: +34 915 620 420	

2. COMPOSITION/INFORMATION ON INGREDIENTS				
Composition of the Product	CAS Nº	% w/w	Hazard	Risk Phrases
			Classification	
Compound of Potassium	70693-62-8	Min 98%	O-C	R: 22-34-52
Hydrogen				
Peroxymonosulsulfate Sulfate				

3. HAZARDS IDENTIFICATION

HAZARDS TO HUMAN HEALTH:

It is very irritating to eyes, skin and respiratory tract.

Harmful to aquatic life

HAZARDS TO ENVIRONMENT:

Harmful to aquatic life

4. FIRST AID MEASURES

Toxicological Information Service Telephone: +34 915 620 420

SKIN CONTACT

Immediately remove contaminated clothing

Wash skin with plenty of water for at least 15 minutes

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 1 de 6





SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

EYE CONTACT

Flush with water for at least 15 minutes.

Going to the doctor immediately

Remove to fresh from the contaminated area.

INGESTION

DO NOT give carbonates or bicarbonates

DO NOT induce vomiting

Move to fresh to hospital

5. FIRE-FIGHITING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Do not burn yourself. If a fire, extinguish with water, dry chemical and carbon dioxide.

SPECIAL EXPOSURE HAZARDS ARISING FROM THE SUBSTANCE, COMBUSTION PRODUCTS

Thermal decomposition produces toxic gases (see section 10)

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Use self contained breathing apparatus and facial mask

6. ACCIDENTAL RELEASES MEASURES

PERSONAL PRECAUTIONS:

Use personal protective equipment

ENVIRONMENT PRECAUTIONS:

Oxidant. Do not let product enter the sewer system

METHODS FOR CLEANING UP

Sweep and dilute with plenty of water. Keep the container open. Avoid dust formation

7. HANDLING AND STORAGE

HANDLING:

Handle in well ventilated area. Trying not to raise dust

Wash hands thoroughly after handling the product

STORAGE:

Keep in a cool, dry, well ventilated area away from combustible material.

Store in original container

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 2 de 6





SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

SPECIFIC USES:

When using in the treatment of pool water it should not be mixed in an uncontrolled way with other products that must be added to it as they may interreact violently.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES:

TWA: 8 hours = 5 mg/m3

Particulates, nor otherwise regulated:

TLV-TWA-Total dust 10 mg/m3

Respirable dust 3 mg/m3 (ACGIH 2005)

EXPOSURE CONTROLS:

Respiratory Protection: Use mask against dust Hand Protection: Use gloves for chemical hazards Eye Protection: Use goggles to protect eyes completely Skin Protection: Use clothing suitable for protecting the body.

9. PHYSICAL AND CHEMICAL PROPERTIES	
GENERAL INFORMATION	
Appereance:	White Tablets
Odour:	No odour
pH (1 % solution):	2-3 (for 10 gr/lt dissolutions)
Flammability	No flammable
Density (20ºC)	1,0 – 1,2 gr/Lt
Oxidising properties	Powerful oxidizer.
Water solubility (25°C)	250 gr/Lt (at 20ºC)
	330 gr/Lt (at 70ºC)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID

High temperatures from 70 °C exothermic decomposition. NO HEAT

Envasados del Pirineo S.L.		Tfno: +34 974 483	3 019	
				_

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 3 de 6





SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

MATERIALS TO AVOID:

Do not mix with alkalis and / or combustible materials. If coupled with compounds containing halogens, the halogen is released. For example, when mixed with sodium dichloroisocyanurate or sodium chloride may release chlorine gas. Do not mix with cyanide and heavy metal salts such as cobalt, nickel, copper or manganese.

HAZARDOUS DECOMPOSITION PRODUCTS

Gives off hydrogen cyanide gas (extremely toxic) in contact with cyanide.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity LD50 rabbit

 $LD50 > 10.000 \, mg/Kg$

Corrosive when applied directly to skin

Very irritating to 25% in solution

Non-irritating to 3% in solution

Not mutagenic in the Ames test

Is not carcinogenic

Inhalation toxicity rat LC50

 $LD50 = 1.600 \, mg/Kg$

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

LC50 (24 h) = 32 a 56 m/l for "zebrafish": TOXICO

LC50 (24 h) = 30 a 60 mg/l for "brachydanior"

EC50 (48 h) = 5,3 mg/l for "Daphnia Magna": TOXICO:

Bacteria toxicity

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 4 de 6





SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

(Pseudomonas putrida) EC50 = 179 mg/l

13. DISPOSAL CONSIDERATIONS:

Disposal of the product, contaminated packaging and waste

10% dissolved in water. Neutralized with an alkali (do it carefully and slowly because there is heat release and oxygen

Pour the waste in accordance with applicable law

14. TRANSPORT INFORMATION

Transport by road ADR 2005:

Name: Corrosive Solid Inorganic, Acid N.E.P

UN Nº: 3260
Hazard Class 8
Label: 8
Packing group: II

Transport by railroad (RID 2005)

Name: Corrosive Solid Inorganic, Acid N.E.P

UN №: 3260
Hazard Class 8
Label: 8
Packing group: ||
Transport by ship (IMDG)

Name: Corrosive Solid Inorganic, Acid N.E.P

UN №: 3260 Hazard Class 8 Label: 8 Packing group: II

15. REGULATORY INFORMATION	
Hazard Classification of the	Corrosive (C)
product:	
R Phrases:	R-22: Harmful if swallowed

Envasados del Pirineo S.L.	Tfno: +34 974 483 019	
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com	
Página 5 de 6		





SAFETY DATA SHEET

PEROXIDE TABLETS

Date	Edition	Ref:
03/03/2009	00	FS03-1-EP

	R-34: Causes burns
	R-52: Harmful to aquatic organisms
S Phrases:	S-2: Keep out of the reach of children.
	S-13: Keep away from food, drink and animal feedingstuffs.
	S-17: Keep away from combustible material
	S-26: In case of contact with eyes, rinse immediately with
	plenty of water and seek medical advice.
	S-36/37/39: Wear suitable protective clothing, gloves and
	eye/face protection
	S-45: In case of accident or if you feel unwell, seek medical
	advice immediately (show the label where possible).
	S-50: Do not mix with acids

16. OTHER INFORMATION

The information in this sheet was also distributed to the purposes specified in Law 31/1995 of November 8 BOE 10.11.1995, Occupational Risk Prevention, Directive 89/391 / EEC. These sheets are made according to EEC Directive 67/548 and successive adaptations. Last adaptation: Order of 5 October 2000 amending Regulation of new substances and classification, packaging and labeling of dangerous substances, approved by ED 363/95.

Tennants Distribution Ltd Oakwood Ind Est Thamesway NORTHFLEET Kent, DA11 9DT www.pool-chem.co.uk

Envasados del Pirineo S.L. Tfno: +34 974 483 019
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain Email: info@envasadospirineo.com

Página 6 de 6