



SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

1. IDENTIFICATION OF THE SUBSTANCE OR THE PREPARATION AND OF THE COMPANY OR THE SOCIETY

1.1.- IDENTIFIFICTION OF THE PRODUCT

Name: Trichoroisocyanuric Acid 56%

Commercial name: Quick Dissolving Tablet

CE Classification: 613-031-00-5

CAS Number: 87-90-1

1.2.- COMPANY IDENTIFICATION

ENVASADOSD EL PIRINEO, S.L.

C/ Binueste s/n 22600 Sabiñánigo HUESCA – ESPAÑA

1.3.- EMERGENCY TELEPHONE

Toxicological Information Center: +34 91 562 04 20

2. HAZARDS IDENTIFICATION

2.1.- CLASIFICATION OF THE SUBSTANCE OR THE PREPARATION

Clasification according (CE) n ° 1272/2008 regulation about clasification, packaging and labelling:

Acute toxicity - oral: Category 4, H302. Irritating to skin: Category 4, H319.

Hazards to the aquatic environment: Acute, Category 1, H400 and chronic hazard category 1,

H410

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic organisms.

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 1 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC:

Xn, R22: Harmful if swallowed.

R31: Contact with acids liberates toxic gas.

Xi, R36/37: Irritating to eyes and respiratory tract.

N, R50/53: Very toxic to aquatic organisms, may cause long term adverse effects in the

aquatic environment.

2.2.- LABEL ELEMENTS

Regulation n ° 1272/2008





ATTENTION

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects.

EUH031: Contact with acids liberates toxic gas.

P261: Avoid breathing dust.

P273: Avoid release to the environment.

P280: Wear protective gloves / clothing / eye / face protection.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy. Further clarification. P337 + P313: If eye irritation persists: consult a doctor.

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 2 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

P403 + P233: Store in a well ventilated place. Keep container tightly closed.

P501: Dispose of contents / container in a licensed waste contractor.

67/548/CEE / 1999/45/CE

Symbols





R Phrases:

R22: Harmful if swallowed

R31: Contact with acids liberates toxic gas R36/37: Irritating to eyes and respiratory tract

R50/53: Very toxic to aquatic organisms, may cause long-term effects

2.3.- OTHER HAZARDS:

The substance does not meet the criteria for PBT or vPvB designated (see section 12).

PHYSICAL-CHEMICAL HAZARDS:

May react with other products releasing chlorine gas (toxic).

Promotes inflammation of combustible material.

High temperature to decompose, releasing toxic gases.

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	CAS Nº	%	Classificación	R Phrases
Trichloroisocyanuric	87-90-1	Min.	Oxidizing solid,	N, O, Xn
Acid		56	Category 2, H272	
			Acute toxicity - oral:	R: 8-22-31-36/37-50/53
			Category 4, H302.	
			Irritating to eyes:	

Envasados del Pirineo S.L.	Tfno: +34 974 483 019
C/D: /- 22C00 C-1:27/-: 11	 F

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 3 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

Category 2, H319.
Specific target organ
toxicity - Single
exposure, Category 3,
H335.
Acute aquatic toxicity:
Category 1, H400.
Chronic aquatic
toxicity, Category 1,
H410.

4. FIRST AID MEASURES

4.1. Description of first aid measures:

4.1.1. If inhaled:

Remove the affected person to fresh air, keep it semi-built, at rest. Artificial respiration if necessary. Take her to the doctor if necessary.

4.1.2. After contact with skin:

Wash the affected area with water for at least 15 minutes while removing contaminated clothing and shoes. Going to medical services in case of burns on the skin or to treat the irritated area.

4.1.3. After eye contact:

Wash them with water for at least 15 minutes and seek medical advice immediately.

4.1.4. If swallowed:

If the patient is conscious, clean and wash the lips and mouth with water. Give to drink large amounts of milk or water and seek medical advice. Do not induce vomiting.

4.1.5. Personal protective equipment recommended for people who provide first aid:

Use self contained breathing apparatus for respiratory protection as well as clothing and gloves to protect skin.

Envasados del Pirineo S.L.	Tfno: +34 974 483 019
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com
Página 4 de	2 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

4.2. Major symptoms and effects, both acute and delayed

Inhalation: Sore throat, cough and nausea.

Skin contact: Redness, with a strong burning sensation and can lead to the formation of sores.

Eye contact: Severe pain and tearing with impaired vision. Ingestion: Abdominal pain, nausea and general weakness.

4.3. Indication of any medical attention and special treatment needed immediately dispensed

Need medical help immediately. Toxicology Information Service

Phone: 91.562.04.20

5. FIRE-FIGHITING MEASURES

5.1. Extinguishing Media

Extinguishing Media:

Water in large amounts. CO2 can be used in cases of small fires.

Unsuitable extinguishing media:

Based powder ammonium salts and halogenated extinguishing agents.

5.2 Special hazards arising from the substance or mixture

The product is not flammable, but may cause fire on contact with combustible materials. Decomposes at high temperatures, emitting toxic gases. Extinguish with plenty of water, small amounts can aggravate the situation. If the fire affects only part of the drums, big bags or containers, insulating them from the rest, if possible, leading to fresh air and letting it consume.

5.3. Advice for fire fighting

Use self contained breathing apparatus for respiratory protection as well as clothing and gloves to protect skin

Envasados del Pirineo S.L.

Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 5 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

6. ACCIDENTAL RELEASES MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and respiratory tract. Use appropriate protective equipment (See section # 8).

6.2. Precautions for the environment

Prevent product from entering sewers or waterways. If the product arrives at a natural water channel, warning civil protection authorities.

6.3. Methods and materials for containment and cleanup

Sweep up and remove entirely the product release. If product is not contaminated, is separated from the rest and is incorporated in the original container or other container and thoroughly clean plastic bag inside. This product can be used normally.

The product collect dust on the floor dirty will be available in the original container or other container and thoroughly clean plastic bag inside. This product should be destroyed by expert personnel using appropriate protective clothing.

The product is contaminated with water or other chemicals can not be transported, dilute immediately with plenty of water and destroyed.

6.4 Reference to other sections

See protective measures under section 8

7. HANDLING AND STORAGE

7.1.- HANDLING

Do not eat, drink or smoke during handling.

Avoid proximity of acidic materials, fuel or oxidized.

The containers used in handling the product must be used exclusively for that product. Label containers thoroughly.

Do not produce dust. If the amount is large enough to handle, provide a ventilation system or removing gases or dust. Keep away from other chemicals

7.2.- CONDITIONS FOR SAFE STORAGE, INCLUDING POSSIBLE INCOMPATIBILITIES

Recommended equipment: Use plastic containers. **Incompatible materials**: wood, rubber, metals.

Storage conditions: cool, dry, ventilated area. Away from sources of heat. **Range / Limit of Temperature and Humidity:** Avoid temperatures above 50 °C.

Envasados del Pirineo S.L.

Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 6 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

Special conditions: fully sealed containers, away from combustible materials. **Implementing legislation**: RD-1254/1999, control measures the risks inherent in major accidents involving dangerous substances.

7.3.- SPECIFIC END USES

In use in the treatment of pool water should not be mixed in an uncontrolled manner with other products to be added to it, because they can react with each other violently

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.- CONTROL PARAMETERS

VLA-EC-(as chloride) 0.5 ppm 1.5 mg/m3 (INSHT)

TLV-TWA-(as chloride) 0.5 ppm 1.5 mg/m3 (ACGIH 2002)

8.2.- EXPOSURE CONTROLS

8.2.1. Engineering controls

If handling generates dust extraction systems used to maintain levels of worker exposure below recommended limits.

8.2.2. Individual protection measures, such as personal protective equipment

Respiratory protection:

Case of complete dust mask use (EN136) with chlorine filter and dust B2 P2 or P3 (EN 141).

Hand protection:

Gloves for chemical hazards. (EN 374)

Eye Protection:

Use full-rimmed glasses. (EN 166)

Skin protection:

Appropriate clothing for protecting the body PPE Category III. Reference Standard (EN-340)

8.2.3. Environmental exposure controls

Prevent from entering drains and / or surface water.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1.- INFORMACION SOBRE PROPIEDADES FISICAS Y QUIMICAS BASICAS

Appearance (physical state and White solid

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 7 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

color)			
Odor	Slight chlorine odor		
рН	6-7		
Melting / freezing point	225ºC with de	225°C with decomposition	
Initial boiling point and boiling	The substance	decomposes before boiling point (based	
range:	on anhydrous	substance)	
Flash Point	Not applicable	(it's solid)	
Flammability (solid, gas)	Not flammable	e (UE method A.10)	
Upper / lower limits of	No doto ovoilo	hi a	
flammability or explosivity	No data availa	bie	
Evalorius propotios	Not explosive	(BAM appendix A1 GGSV and appendix	
Explosive propeties	GGVE 19865 G	ermany)	
Oxidizing properties	No oxidizing p	roperties shown.	
Oxidizing properties	(EU Method A	17).	
Vapour pressure	0.006 Pa at 20	° C (based on anhydrous substance)	
Polativo Donsity	Density "tap": 0.974 g/mL		
Relative Density	Density "pour"	': 1.083 g/mL	
	350 g / l acetone		
Solubility	385 g / I ethyl	acetate	
	70 g / I toluene	2	
Solubility in water	248.2 g/L (bas	ed on anhydrous substance)	
Solubliney III Water	(HPLC Method)	
Partition coefficient n-	0 94 (calculate	d; KOWIN v1.67)	
octanol/water (log Pow):	0.54 (calculate	a, KOVIII V1.07)	
Viscosity	Not applicable	Not applicable (it's a solid)	
Vapour Density	No data availa	No data available	
Evaporation Rate	No data availa	No data available	
Auto-ignition temperature	No data available		
Decomposiion Temperature	246,8ºC		
9.2 ADITIONAL INFROMATION			
Bulk density: 1,034 ± 0.004 g / mL (OECD 109)			
Envasados del Pirineo S.L.	Tfno: +34 974 483 019		
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain Email: info@envasadospirineo.com			
Página 8 de 17			





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

Settled density: $1,097 \pm 0.004 \text{ g} / \text{mL}$ (OECD 109)

Dissociation constant: pKa1 = -4.49 ± 0.2 (QSAR, ACD / Labs) Organic Peroxide: Not classified (based on the structure) Substances and mixtures which self-heating: No data available.

Solid / Liquid pyrophoric: Not classified. The substance is stable at room temperature for

prolonged periods of time.

Corrosive to metals: No data available.

Substances and mixtures which in contact with water emit flammable gases: No data

available.

10. STABILITY AND REACTIVITY

10.1.- REACTIVITY

The substance presents no additional risk of reactivity shown in the following subtitle.

10.2.- CHEMICAL STABILITY

No data available

10.3.- POSSIBILITY OF HAZARDOUS REACTIONS

No data available

10.4.- CONDITIONS TO AVOID

Humid conditions and temperatures above 50 º C

10.5.- INCOMPATIBLE MATERIALS

Attacks metals in general. Reacts with water (in small amounts which may wet the product, but is needed in large quantities in the fight against fires), oxidizing and reducing agents, acids, alkalis, nitrogen, ammonium salts, urea, amines, ammonium derivatives quaternary, oils, fats, peroxides, cationic surfactants, and so on

10.6.- HAZARDOUS DECOMPOSITION PRODUCTS

In combination with the above products, it decomposes and releases a great amount of heat, chlorine, nitrogen trichloride, chlorine oxides, etc..

11. TOXICOLOGICAL INFORMATION

11.1.- TOXICOLOGICAL INFORMATION EFFECTS:

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 9 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

11.2 ACUTE EFFECTS (ACUTE TOXICITY, IRRITATION Y CORROSIVITY)		
11.2.1. Oral DL50 (lethal dose 50%)	787 to 868 mg / kg body weight (male and female rat) (EPA OPP 81-1) Acute oral toxicity, Category 4: Harmful if swallowed.	
11.2.2. Skin DL50 (lethal dose 50%)	> 2000 mg / kg body weight (male and female rabbit) (EPA OPP 81-2) In view of the available results are not met the criteria for classification.	
11.2.3. CL50 inhalation (lethal concentration 50%)	Between 0.09 mg / L and 0.29 mg / L (male and female rats, inhalation of dust) (Equivalent to OECD 403) Solid with low volatility and particle size distribution indicates that <1% substance found in the respirable size range. In view of the available results are not met the criteria for classification	
11.2.4. Corrosion /Skin irritation	Corrosive (rabbit: Exposure 24h) (EPA OPP 81-5)	
11.2.5. Serious eye damage / irritation	Irritating to eyes: Category 2: Causes severe eye irritation (harmonized classification). Corrosive (rabbit) (FDA 16 CFR § 1500.42)	
11.2.6 Specific target organ toxicity - Single exposure	Category 3: Can irritate the respiratory tract	
11.3 SENSIBILIZATION		
Respiratory Sensitization: No data available. Skin sensitization: No sensitizing. Guinea pig (male) (OECD 406) 11.4 - REPEATED DOSE TOXICITY		

11.4.- REPEATED DOSE TOXICITY

Página 10 de 17		
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com	
Envasados del Pirineo S.L.	Tfno: +34 974 483 019	





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

Specific target organ toxicity (repeated exposure): In view of the available data do not meet the criteria for classification.

NOAEL: s-triazintriol monosodium salt,: 4000 ppm (males 521 mg / kg bw / d, females 717 mg / kg bw / d)

Triazintriona dichloro-s-sodium dihydrate: 1200 ppm (males 115 mg / kg bw / d, females 178 mg / kg bw / d)

Trichloro-s-triazintriona: 1200 ppm (males 114 mg / kg bw / d, females 151 mg / kg bw / d) (male and female rats, 59 days, sub-acute, oral)

11.5.- CMR EFFECTS (CARCINOGENICITY, MUTAGENICITY AND TOXICITY TO REPRODUCTION)

Carcinogenicity: In view of the available results are not met the criteria for classification. Negative (male and female rats, 104 weeks trial with sodium cyanurate monohydrate) (EU Method B33)

Negative (male and female mice, 104 weeks trial with sodium cyanurate monohydrate) (EU Method B33)

Germ cell mutagenicity: In view of the available results are not met the criteria for classification.

In vitro gene mutation in bacteria: Negative (tested with sodium cyanurate monohydrate) (EPA Section 163.84-1, 43 FR 37388)

In vitro gene mutations in mammalian cells: Negative (tested with sodium cyanurate monohydrate)

(Equivalent to EU Method B.17)

Chromosomal aberrations in vivo Study: Negative (male rat; trial with sodium cyanurate) (Equivalent to OECD 475)

Reproductive toxicity: In view of the available results are not met the criteria for classification.

Effects on fertility:

Three-generation study in rats (made with sodium cyanurate):

Parental NOAEL: 470 - 950 mg / kg body weight NOAEL F1 Generation: 500 - 910 mg / kg body weight NOAEL F2 Generation: 190 - 970 mg / kg body weight

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 11 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

No significant effect on survival, appearance or behavior including nesting and brood care. No reproductive effects were observed.

(Method method equivalent to EU B35)

Developmental Effects:

Study in male and female rabbits during 29 days (sodium cyanurate):

Maternal toxicity NOAEL> 500 mg / kg body weight

Embryo toxicity NOAEL: 500 mg / kg body weight

No teratogenic effects are observed in the absence of maternal effects.

(U.S. EPA 83-1, equivalent to EU method B31)

Reproductive toxicity, effects on or via lactation: No data available

11.6.- ASPIRATION HAZARD

No evidence of aspiration hazard

12. ECOLOGICAL INFORMATION		
12.1 TOXICITY		
Acute Toxicity for fishes		
	Species: Salmo gairdneri.	
	0.24 mg / I (96 h; freshwater, estuary, static	
	system)	
CLEO (lethel concentration FOO();	(EPA OTS 797.1400)	
CL50 (lethal concentration 50%):	Species: Lepomis macrochirus.	
	0.23 mg / I (96 h; freshwater static system)	
	(Committee on Methods for Toxicity tests	
	with Aquatic Organisms, 1975)	
Chronic Toxicity for fishes		
NOEC (no observable effect concentration):	No data available	
Acute Toxicity for crustaceans		
	Species: Daphnia magna.	
CE50 (Effects concentration at 50%):	0.21 mg / I (48 h, static system)	
CLOU (Lineus concentration at 50%).	(Acute Toxicity Tests Methods for with Fish,	
	Macroinvertebrates and Amphibians. EPA,	

Envasados del Pirineo S.L.	Tfno: +34 974 483 019
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com
Página 12 de 17	





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

	1975)	
	Species: Daphnia magna.	
	0.17 mg / I (48 h, static system)	
	(Proposed standard practice ASTM's static	
	acute toxicity for Conducting tests with	
	aquatic organisms, 1975)	
Chronic Toxicity for crustaceans		
NOEC (no observable effect concentration):	No data available	
Acute Toxicity for algae and other aquatic plan	nts	
	Species: Chlorella pyrenoidosa, Euglena	
	gracilis and Scenedesmus obliguus (algae).	
CE50 (Effects concentration at 50%):	EC90: 0.5 mg / I (3 h, based on biomass)	
	NOEC <0.5 mg / I (3 h, based on biomass)	
	(Modified method based on ASTM E645-85)	
Toxicity data and macro-micro soil organisms	and other environmentally relevant, such as	
bees, birds, plants		
Species: Colinnus virginianus (bird)		
LC50: 1647 ppm (8 days, based on mortality) (EPA Guidelines. Subdivision E, Section 71-1)		
Species: Anas platyrhynchos (bird)		
LC50> 5000 ppm (8 days, based on mortality) (EPA Guidelines, Subdivision E, Section 71-2)		
12.2 PERSISTENCE AND DEGRADABILITY		
Easily biodegradable	Aerobic Biodegradation: 2% after 28 days	
200., 2.00.0, 200.0	(OECD 301 D)	
	ATCC rapidly hydrolyzes to HOCl and cyanuric	
	acid (CYA) in contact with water. As the free	
	available chlorine is reduced by reaction with	
Other relevant information	various impurities in the water turns into	
	chloride ions and additional free chlorine is	
	liberated from the isocyanurates chlorinated	
	solution. Once all the chlorine has been	
	ı	

Envasados del Pirineo S.L.

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain

Página 13 de 17

Tfno: +34 974 483 019

Email: info@envasadospirineo.com





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

	reduced, reaction products are stable	
	cyanuric acid or its salts and chloride salts.	
	Cyanuric acid is easily degraded under a wide	
	range of natural and nontoxic. Therefore it	
	has been shown that the CYA is degraded	
	under natural conditions.	
12.3 BIOACCUMULATION		
Bioconcentration Factor (BCF): experimental	Not experimentable datas available	
data	Claculated value: 3.12 (BCF v2.17)	
data		
Partition coefficient n-octanol/water (log	0.04 (calculated values KOWIN v1.67)	
Pow):	0.94 (calculated value; KOWIN v1.67)	
12.4 MOBILITY IN SOIL		
No data available		
12.5 RESULTS OF THE EVALUATING PBT (persistent, bioaccumulative and tóxic) and mPmB		
(very persistent and very bioaccumulative)		
No data available		
12.6 OTHER ADVERSE EFFECTS		
No data available		

13. DISPOSAL CONSIDERATIONS

13.1.- METHODS FOR THE TREATMENT OF WASTE

Keep in mind the considerations that have been discussed in the previous points about incompatibilities.

The product is disposed of in accordance with current legislation and in particular with:

- Directive 2008/98/EC of 19 November, on waste and the transposing regulations.
- Directive 94/62/EC of 20 December, on packaging and packaging waste and its subsequent amendments and regulations that transpose.
- Decision 2001/118/EC of 16 January, amending Decision 2000/532/EC as regards the Waste List
- Law 10/1998 of 21 April on Waste
- Law 11/1997 of 24 April on packaging and packaging waste and regulations that develop, RD

Envasados del Pirineo S.L.	Tfno: +34 974 483 019	
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com	
Página 14 de 17		





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

782/1998, of April 30

- MAM Order 304/2002, of February 8, which are published from recovery and disposal of waste and the European Waste List.

Like any other regulation in force in the European Community, State and Local, on the proper disposal of this material and empty containers of the same.

14. TRANSPORT INFORMATION		
14.1 ADR (by road) / RID (train)		
14.1.1 UN Number:	UN 3077	
14.1.2 Shipping name of the United Nations	SOLID SUBSTANCE HAZARDOUS FOR THE ENVIRONMENT NEP (Thricloroisocianuryc Acid Dry)	
14.1.3 Class of hazards for transport:	9	
14.1.4 Packaging Group	III	
14.1.5. Hazards for the Environment:	Substance hazardous for the environment Label:	
14.2 IMDG (ship)		
14.1.1 UN Number:	UN 3077	
14.1.2 Shipping name of the United Nations	SOLID SUBSTANCE HAZARDOUS FOR THE ENVIRONMENT NEP (Thricloroisocianuryc Acid Dry)	
14.1.3 Class of hazards for transport:	9	
14.1.4 Packaging Group:	III	
14.1.5. Hazards for the Environment:	Substance hazardous for the environment Label:	
14.3 ICAO / IATA (air)		

Envasados del Pirineo S.L.	Tfno: +34 974 483 019	
C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain	Email: info@envasadospirineo.com	
Página 15 de 17		





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

14.3.1 UN Number:	UN 3077	
14.3.2 Shipping name of the United Nations	SOLID SUBSTANCE HAZARDOUS FOR THE ENVIRONMENT NEP (Thricloroisocianuryc Acid Dry)	
14.3.3 Class of hazards for transport:	9	
14.3.4 Packaging Group:	III	
14.3.5. Hazards for the Environment:	Substance hazardous for the environment	

14.4.- SPECIAL PRECAUTIONS FOR USERS

We must address the same information described in previous sections: ADR, RID, IMDG, ICAO / IATA

14.5.- BULK TRANSPORT UNDER L ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not applicable.

15. REGULATORY INFORMATION

Regulations and legislation on safety, health and environment specific for the substance or mixture

The safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical safety assessment

not required

16. OTHER INFORMATION

Full text of H-Statements referred to in sections 2 and 3.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic organisms.

Envasados del Pirineo S.L. Tfno: +34 974 483 019

C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain | Email: info@envasadospirineo.com

Página 16 de 17





SAFETY DATA SHEET

(According to the REACH Regulation 1907/2006/EC and Regulation (EU) 453/2010)

QUICK DISSOLVING TABLET

Date:	Edition:	Ref:
01/12/2010	00	FS31-EP

Full Text of R- Statements referred to in sections 2 and 3.

R22: Harmful if swallowed

R31: Contact with acids liberates toxic gas R36/37: Irritating to eyes and respiratory tract

R50/53: Very toxic to aquatic organisms, may cause long-term effects

Tennants Distribution Ltd Oakwood Ind Est Thamesway NORTHFLEET Kent, DA11 9DT www.pool-chem.co.uk

Envasados del Pirineo S.L. C/Binueste s/n 22600 Sabiñánigo –Huesca- Spain Tfno: +34 974 483 019

Email: info@envasadospirineo.com

Página 17 de 17